

**Product: Texoflex Combi**



**Material:**

**Texoflex Combi** is a flexible duct distinguished by its hardness, high flexibility and extremely strong multi-layer walls and it is designed for various application fields. The duct is made of multi-layer polyester laminated aluminum and PVC foil reinforced with high tension steel wire. Due to its exceptional flexibility can be easy installed to round and oval connectors.

**Application:**

**Texoflex Combi** is made for low and medium pressure ventilation systems.

**Product construction:**

The product Flexible duct „Texoflex Black Combi C11B“ include the following components:

Number of layers: 3

- 1 Layer of 9 µm Aluminium
- 1 Layer of 12 µm Polyester
- 1 Layer of 90 µm PVC Embossed Black
- Steel wire

**Properties:**

Good flexibility  
Good compression

**Specification:**

Product code: given in the table bellow,  
Temperature range: from -30° C to +140° C,  
Diameters: from 82 mm to 508 mm,  
Standard length: 10 m.

# PRODUCT TECHNICAL SPECIFICATION


**Table: Ordering information**

Product code	Product name	Diam.	Length	Pallete dim.	Pcs. per box	Pcs. per pall.
		mm	m	cm		
C11B082/10	Texoflex Black Combi C11B - dia. 082 mm x 10 m	82	10	80x120	1	352
C11B102/10	Texoflex Black Combi C11B - dia. 102 mm x 10 m	102	10	100x120	1	360
C11B112/10	Texoflex Black Combi C11B - dia. 112 mm x 10 m	112	10	100x120	1	360
C11B120/10	Texoflex Black Combi C11B - dia. 120 mm x 10 m	120	10	80x120	1	240
C11B127/10	Texoflex Black Combi C11B - dia. 127 mm x 10 m	127	10	80x120	1	240
C11B133/10	Texoflex Black Combi C11B - dia. 133 mm x 10 m	133	10	80x120	1	240
C11B140/10	Texoflex Black Combi C11B - dia. 140 mm x 10 m	140	10	80x120	1	168
C11B152/10	Texoflex Black Combi C11B - dia. 152 mm x 10 m	152	10	80x120	1	168
C11B160/10	Texoflex Black Combi C11B - dia. 160 mm x 10 m	160	10	80x120	1	132
C11B165/10	Texoflex Black Combi C11B - dia. 165 mm x 10 m	165	10	80x120	1	132
C11B185/10	Texoflex Black Combi C11B - dia. 185 mm x 10 m	185	10	80x120	1	132
C11B203/10	Texoflex Black Combi C11B - dia. 203 mm x 10 m	203	10	80x120	1	100
C11B229/10	Texoflex Black Combi C11B - dia. 229 mm x 10 m	229	10	80x120	1	64
C11B254/10	Texoflex Black Combi C11B - dia. 254 mm x 10 m	254	10	80x120	1	64
C11B280/10	Texoflex Black Combi C11B - dia. 280 mm x 10 m	280	10	80x120	1	36
C11B305/10	Texoflex Black Combi C11B - dia. 305 mm x 10 m	305	10	80x120	1	36
C11B315/10	Texoflex Black Combi C11B - dia. 315 mm x 10 m	315	10	80x120	1	36
C11B356/10	Texoflex Black Combi C11B - dia. 356 mm x 10 m	356	10	80x120	1	20
C11B406/10	Texoflex Black Combi C11B - dia. 406 mm x 10 m	406	10	80x120	1	10
C11B457/10	Texoflex Black Combi C11B - dia. 457 mm x 10 m	457	10	80x120	1	8
C11B508/10	Texoflex Black Combi C11B - dia. 508 mm x 10 m	508	10	80x120	1	8

# PRODUCT TECHNICAL SPECIFICATION

## Packaging information:

L = the position of the label in the upper left corner, straight to the edges



Label on box: White color, 70x90mm

