

VERIFICATION OF COMPLIANCE

No.: LVD GZES2005018610HS

Applicant: Beijing Holtop Air Conditioning Co., Ltd
Building 1-7, 5 Yard, 7th Guanggu Street, Kangzhuang,
Yangqing, Beijing, China

Manufacturer: Same as applicant

Product Name: Energy Recovery Ventilator

Product Description: Air Cleaner

Model No.: Additional Information on page 2

Trade Mark: --

Rating: 220 V -240 V; 50 Hz;

Protection against Electric Shock: Class I

Degree of Protection: IPX2

Additional Information: --

Sufficient samples of the product have been tested and found to be in conformity with

Test Standard: EN 60335-1:2012 + A11:2014 + A13:2017 + A1:2019
+ A14:2019 + A2:2019
EN 60335-2-65:2003 + A1:2008+ A11:2012
EN 62233: 2008

as shown in the

Test Report Number(s): GZES200501861001

This Verification of Compliance has been granted to the applicant based on the results of tests, performed by Laboratory of SGS-CSTC Standards Technical Services Co., Ltd. on sample of the above-mentioned product in accordance with the provisions of the relevant harmonized standards under the Low Voltage Directive 2014/35/EU. The CE marking as shown below can be affixed, under the responsibility of the manufacturer, after completion of an EC Declaration of Conformity and compliance with all relevant EC Directives. The affixing of the CE marking presumes in addition that the conditions in annexes III and IV of the Directive are fulfilled.


David Guo
Senior Technical Manager
SGS-CSTC





2020-07-31

Copyright of this verification is owned by SGS-CSTC Standards Technical Services Co., Ltd. and may not be reproduced other than in full and with the prior approval of the General Manager. This verification is subjected to the governance of the General Conditions of Services, printed overleaf.

Member of SGS Group (Société Générale de Surveillance)

No.:

LVD GZES2005018610HS

Other information added:


Rating:

Model name	Motor model	Motor number	Rated power input
XHBQ-D1.5DMTHA	ZWS30-E	2	38 W
XHBQ-D2.5DMTHA	ZWS60-6G2	2	85 W
XHBQ-D3.5DMTHA	ZWS60-6G2	2	107 W
XHBQ-D5DMTHA	ZW95C-90D-XF05Z	2	140 W
XHBQ-D6.5DMTHA	ZW105C-180D-XF04	2	160 W
XHBQ-D8DMTHA	ZW105C-180D-XF04	2	188 W
XHBQ-D10DMTHA	ZW105C-180D-XF05	2	312 W
XHBQ-D13DMTHA	ZW105C-180D-XF05	2	405 W
XHBQ-D15DMTHA	ZW105C-180D-XF04	4	700 W
XHBQ-D20DMTHA	ZW105C-180D-XF04	4	724 W
XHBQ-D26DMTHA	ZW105C-180D-XF05	4	810 W
XHBQ-D1.5DCTPA	ZWS30-E	2	26 W
XHBQ-D2.5DCTPA	ZWS60-6G2	2	46 W
XHBQ-D3.5DCTPA	ZWS60-6G2	2	60 W
XHBQ-D5DCTPA	ZW95C-90D-XF05Z	2	88 W
XHBQ-D6.5DCTPA	ZW95C-90D-XF05Z	2	114 W
XHBQ-D8DCTPA	ZW105C-180D-XF04	2	186 W
XHBQ-D10DCTPA	ZW105C-180D-XF04	2	243 W
XHBQ-D15DCTPA	ZW105C-180D-XF04	4	372 W
XHBQ-D20DCTPA	ZW105C-180D-XF04	4	486 W
ERVQ-D150-2A1D, ERVQ-D150-2B1D, ERVQ-D150-2A2D, ERVQ-D150-2B2D,	ZW95C-80D-XF01Y(supply fan),ZW95C-80D-XF01Z(exhaust fan)	2	65 W
ERVQ-D250-2A1D, ERVQ-D250-2B1D, ERVQ-D250-2A2D, ERVQ-D250-2B2D,	ZW95C-80D-XF01Y(supply fan),ZW95C-80D-XF01Z(exhaust fan)	2	95 W
ERVQ-D350-2A1D, ERVQ-D350-2B1D, ERVQ-D350-2A2D, ERVQ-D350-2B2D	ZW95C-80D-XF01Y(supply fan),ZW95C-80D-XF01Z(exhaust fan)	2	155 W
ERVQ-D600-2A2D,	ZW95C-90D-XF05Z	2	162 W

ERVQ-D600-2B2D, ERVQ-D500-2C2D, ERVQ-D500-2D2D			
ERVQ-D800-2A2D, ERVQ-D800-2B2D, ERVQ-D650-2C2D, ERVQ-D650-2D2D	ZW105C-180D-XF04	2	290 W
ERVQ-D10H-2A2D, ERVQ-D10H-2B2D, ERVQ-D800-2C2D, ERVQ-D800-2D2D,	ZW105C-180D-XF04	2	327 W
ERVQ-D13H-2A2D, ERVQ-D13H-2B2D, ERVQ-D10H-2C2D, ERVQ-D10H-2D2D, ERVQ-D13H-2C2D, ERVQ-D13H-2D2D,	ZW105C-180D-XF05	2	680 W
ERVQ-D15H-2C2D, ERVQ-D15H-2D2D	ZW105C-180D-XF04	4	700 W
ERVQ-D20H-2C2D, ERVQ-D20H-2D2D	ZW105C-180D-XF04	4	724 W
ERVQ-D26H-2C2D, ERVQ-D26H-2D2D	ZW105C-180D-XF05	4	848 W
ERVQ-D150-2B1, ERVQ-D150-2A1C, ERVQ-D150-2B1C, ERVQ-D150-2A2C, ERVQ-D150-2B2C	ZW95C-80D-XF01Y(supply fan),ZW95C-80D-XF01Z(exhaust fan)	2	102 W
ERVQ-D250-2B1, ERVQ-D250-2A1C, ERVQ-D250-2B1C, ERVQ-D250-2A2C, ERVQ-D250-2B2C	ZW95C-80D-XF01Y(supply fan),ZW95C-80D-XF01Z(exhaust fan)	2	150 W
ERVQ-D350-2B1, ERVQ-D350-2A1C, ERVQ-D350-2B1C, ERVQ-D350-2A2C, ERVQ-D350-2B2C	ZW95C-80D-XF01Y(supply fan),ZW95C-80D-XF01Z(exhaust fan)	2	233 W
XHBQ-D2DCTHC, XHBQ-D1.5DCTFC	ZWS30-E	2	43 W

XHBQ-D3DCTHC, XHBQ-D2.5DCTFC	ZWS60-6G2	2	80 W
XHBQ-D4DCTHC, XHBQ-D3.5DCTFC	ZWS60-6G2	2	116 W
XHBQ-D6DCTHC, ERVQ-D600-2A2C, ERVQ-D500-2C2C, XHBQ-D5DCTFC	ZW95C-90D-XF05Z	2	162 W
XHBQ-D8DCTHC, ERVQ-D800-2A2C, ERVQ-D650-2C2C, XHBQ-D6.5DCTFC,	ZW105C-180D-XF04	2	290 W
XHBQ-D10DCTHC, ERVQ-D10H-2A2C, ERVQ-D800-2C2C, XHBQ-D8DCTFC	ZW105C-180D-XF04	2	327 W
XHBQ-D13DCTHC, ERVQ-D13H-2A2C, ERVQ-D10H-2C2C, ERVQ-D13H-2C2C, XHBQ-D10DCTFC, XHBQ-D13DCTFC	ZW105C-180D-XF05	2	424 W
XHBQ-D15DCTHC, ERVQ-D15H-2C2C, XHBQ-D15DCTFC	ZW105C-180D-XF04	4	700 W
XHBQ-D20DCTHC, ERVQ-D20H-2C2C, XHBQ-D20DCTFC	ZW105C-180D-XF04	4	724 W
XHBQ-D26DCTHC, ERVQ-D26H-2C2C, XHBQ-D26DCTFC	ZW105C-180D-XF05	4	848 W
XHBQ-D2DCPMTHC, XHBQ-D1.5DMTHC	ZWS30-E	2	43 W
XHBQ-D3DCPMTHC, XHBQ-D2.5DMTHC	ZWS60-6G2	2	80 W
XHBQ-D4DCPMTHC, XHBQ-D3.5DMTHC	ZWS60-6G2	2	116 W
XHBQ-D6DCPMTHC, ERVQ-D600-2B2C, ERVQ-D500-2D2C,	ZW95C-90D-XF05Z	2	277 W

XHBQ-D5DMTHC			
XHBQ-D8DCPMTHC, ERVQ-D800-2B2C, ERVQ-D650-2D2C, XHBQ-D6.5DMTHC	ZW105C-180D-XF04	2	290 W
XHBQ-D10DCPMTHC, ERVQ-D10H-2B2C, ERVQ-D800-2D2C, XHBQ-D8DMTHC	ZW105C-180D-XF04	2	327 W
XHBQ-D13DCPMTHC. ERVQ-D13H-2B2C, ERVQ-D10H-2D2C, ERVQ-D13H-2D2C, XHBQ-D10DMTHC, XHBQ-D13DMTHC	ZW105C-180D-XF05	2	424 W
XHBQ-D15DCPMTHC, ERVQ-D15H-2D2C, XHBQ-D15DMTHC	ZW105C-180D-XF04	4	700 W
XHBQ-D20DCPMTHC, ERVQ-D20H-2D2C, XHBQ-D20DMTHC	ZW105C-180D-XF04	4	724 W
XHBQ-D26DCPMTHC, ERVQ-D26H-2D2C, XHBQ-D26DMTHC	ZW105C-180D-XF05	4	848 W


 David Guo
 Senior Technical Manager
 SGS-CSTC



2020-07-31

Copyright of this verification is owned by SGS-CSTC Standards Technical Services Co., Ltd. and may not be reproduced other than in full and with the prior approval of the General Manager. This verification is subjected to the governance of the General Conditions of Services, printed overleaf.

Member of SGS Group (Société Générale de Surveillance)